

All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: www.aicte-india.org



APPROVAL PROCESS 2020-21

Extension of Approval (EoA)

F.No. South-West/1-7005932437/2020/EOA

Date: 30-Apr-2020

To,

The Principal Secretary,
Deptt. Of education, Govt. of Kerala,
Govt. Sectt. Annexe,
Thiruvananthapuram-695001

Sub: Extension of Approval for the Academic Year 2020-21

Ref. Application of the Institution for Extension of Approval for the Academic Year 2020-21

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2020 notified by the Council vide notification number F.No. AB/AICTE/REG/2020 dated 4th February 2020 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

| | | | |
|-----------------------|---|---------------------------|---|
| Permanent Id | 1-2481460631 | Application Id | 1-7005932437 |
| Name of the Institute | SAHRDAYA INSTITUTE OF MANAGEMENT STUDIES | Name of the Society/Trust | IRINJALAKUDA DIOCESAN EDUCATIONAL TRUST |
| Institute Address | KALLETUMKARA P.O., KALLETUMKARA, KODAKARA, THRISSUR, Kerala, 680684 | Society/Trust Address | CATHOLIC BISHOP'S HOUSE, P B NO. 59, IRINJALAKUDA, IRINJALAKUDA, T HRISSUR, 680121 |
| Institute Type | Private-Self Financing | Region | South-West |

To conduct following Courses with the Intake indicated below for the Academic Year 2020-21

| Program | Level | Course | Affiliating Body (University /Body) | Intake Approved for 2019-20 | Intake Approved for 2020-21 | NRI Approval Status | PIO / FN / Gulf quota/ OCI/ Approval Status |
|------------|------------------|--------|---|-----------------------------------|-----------------------------------|---------------------------|---|
| MANAGEMENT | POST GRADUATE | MBA | University of Calicut, Calicut, | 60 | 60 | NA | No |

It is mandatory to comply with all the essential requirements as given in APH 2020-21 (Appendix 6)